

**COMPLETE SOLUTIONS** 

# CLINICAL HAND HYGIENE



COMPLIANT SOLUTIONS WITHOUT COMPROMISE ON SAFETY OR CLINICAL HAND HYGIENE



TYPE A & TYPE B HANDS FREE SOLUTIONS FOR YOU TO MEET YOUR CLINICAL REQUIREMENTS



7 SOLUTIONS WITH INTERCHANGABLE PRODUCTS



SINGLE SUPPLIER TO REDUCE OPERATIONAL, INSTALLATION & MAINTENANCE COSTS





# Type A – Tepid Water – Manual Tapware 1

Variable temperature, manual operation with single paddle handle for easy operation. Compliant for use in high risk clinical areas with tepid water supplied by an independent TMV.

#### **1** Basin Mixer

Leva Sequential Surgeon Mixer –  $\frac{1}{4}$  Turn Ceramic Disc (WELS 5 Star Rated) Code: **LEV150420SQ** 

#### 2 Basin

Kolo Nova Pro HC Wash Basin 650 – No Taphole No Overflow Code: **KNP384660-100** 

#### 3 Shroud

Kolo Nova Pro 650 HC Shroud Code: **KNP37400** 

#### 4 TMV & Cabinet

Aquablend® 1500 Thermostatic Mixing Valve with Thermal Flush in 350mm x 350mm Stainless Steel Cabinet - CW bypass at bottom HW / CW inlet at bottom and Hinged Lid Code: ATMS719H-350

Specification & Product Info



# Type A – Tepid Water – Manual Tapware 2

Variable temperature, manual operation with traditional operation two paddle for total control of temperature and flow. Compliant for use in high risk clinical areas with tepid water supplied by an independent TMV.

#### 1 Sink Spout

Cache Hob Mounted Curved Sink Spout – Swivel Outlet – 200mm reach (WELS 3 Star Rated)
Code: SPC026

### 2 Basin Mixer

Wellbeing Leva 150mm Type 51 Wall Mounted Mixing Set – Less Spout

(WELS 5 Star / 6 Star Rated) Code: **WLC150WX** 

#### 3 Basin

Kolo Nova HC Wash Basin 650 – No Taphole No Overflow Code: KNP384660-100

### 4 Shroud

Kolo Nova Pro 650 HC Shroud Code: **KNP37400** 

## **5** TMV & Cabinet

Aquablend® 1500 Thermostatic Mixing Valve with Thermal Flush – in 350 x 350 Stainless Steel Cabinet – CW bypass at bottom HW / CW inlet at bottom with Hinged Lid

Code: ATMS719H-350



20230329



# Type A – Tepid Water – Sensor Tapware

Single temperature, sensor operation for use in high risk clinical areas with tepid water supplied by an independent TMV.

#### 1 Sensor Tap

Wall Mounted Sensor Tap – Hands Free – Active Sensor with 250mm Spout (WELS 4 Star / 6 Star Rated)

Code: **ENM5071A-250** 

#### 2 Basin

Kolo Nova Pro HC Wash Basin 650 - No Taphole No Overflow

Code: KNP384660-100

#### 3 Shroud

Kolo Nova Pro 650 HC Shroud

Code: **KNP37400** 

### 4 TMV & Cabinet

Aquablend® 1500 Thermostatic Mixing Valve with Thermal Flush – in 350 x 350 Stainless Steel Cabinet – CW bypass at bottom HW / CW inlet at bottom with Hinged Lid

Code: ATMS719H-350

Specification & Product Info



# Type A – Point of Use – Sensor Tapware

Single temperature, sensor operation for use in high risk clinical areas with integrated TMV for minimal stagnation risk.

### 1 Sensor Tap

Aquablend® eSQX Front of Wall Component On Demand Sensor – 12V Mains – 230mm Spout 6Lpm Laminar Flow

Code: ATWMC2L5

#### 2 TMV

Aquablend® eSQX™ Touch Free – On Demand Sensor Point of Use Thermostatic Wall Mixer – Back of Wall Component for Mains Powered Models – ATAM and ATWM

Code: ATM621

### 3 Basin

Kolo Nova Pro HC Wash Basin 650 – No Taphole No Overflow Code: **KNP384660-100** 

## 4 Shroud

Kolo Nova Pro 650 HC Shroud

Code: **KNP37400** 

Specification & Product Info



2022101



# Type A – Point of Use – Manual Tapware



Variable temperature, manual operation for use in high risk clinical areas with integrated TMV for minimal stagnation risk.

#### Basin Mixer

Aquablend® SQX® Surgeon Mixer - 6Lpm

Code: **ATM611-5** 

#### 2 Basin

Kolo Nova Pro HC Wash Basin 650 - No Taphole No Overflow

Code: KNP384660-100

### 3 Shroud

Kolo Nova Pro 650 HC Shroud

Code: **KNP37400** 

202210



#### **COMPLETE SOLUTIONS**

# CLINICAL HAND HYGIENE – MENTAL HEALTH



COMPLIANT SOLUTIONS WITHOUT COMPROMISE ON SAFETY OR CLINICAL HAND HYGIENE



ANTI-LIGATURE TAPWARE PAIRED WITH FIT FOR PURPOSE COMPATIBLE BASINS & SHROUDS



2 SOLUTIONS WITH INTERCHANGABLE PRODUCTS



SINGLE SUPPLIER TO REDUCE OPERATIONAL, INSTALLATION & MAINTENANCE COSTS







**CLINICAL HAND HYGIENE - MENTAL HEALTH** 

# Type A - Tepid Water

**COMPLETE SOLUTIONS** 

Single temperature, sensor operation for use in high risk clinical areas with tepid water supplied by an independent TMV. Factory fitted with an anti-ligature spout.

## Sensor Tap

Wall Mounted Sensor Tap - Hands Free - Active Sensor with Detention Basin Spout

Code: DET5071A-660B

### 2 Basin & Shroud

Mental Health Kit with 500mm Kolo Nova Pro Rectangular Basin, Shroud, Waste and P-Trap

Code: KNP311510-100MHKIT

### 3 TMV & Cabinet

Aquablend® 1500 Thermostatic Mixing Valve with Thermal Flush - in 350 x 350 Stainless Steel Cabinet - CW bypass at bottom HW / CW inlet at bottom with Hinged Lid

Code: ATMS719H-350

#### Specification & Product Info



## Type A - Point of Use

Single temperature, sensor operation for use in high risk clinical areas with integrated TMV for minimal stagnation risk. Factory fitted with an anti-ligature spout.

## Sensor Tap

Aquablend® eSQX™ Touch Free - On Demand Sensor Front of Wall Component with Custodian® Basin Outlet - 12V Mains Custodian Basin Outlet 8Lpm Aerator

Code: ATWM-CNBSN

### 2 TMV

Aquablend® eSQX™ Touch Free - On Demand Sensor Point of Use Thermostatic Wall Mixer - Back of Wall Component for Mains Powered Models - ATAM and ATWM

Code: ATM621

### Basin & Shroud

Mental Health Kit with 500mm Kolo Nova Pro Rectangular Basin, Shroud, Waste and P-Trap

Code: KNP311510-100MHKIT

