



lever action tapware

RELIABLE PERFORMANCE
FIT FOR PURPOSE
STYLISH DESIGN

- Leva Series – 150 & 80mm
- Lever Action – 150 & 200mm Series
- Lever Action – Expo Series
- Single Lever Mixers

leva series 150 & 80mm

Perfectly suited to hospitals, aged care facilities and food applications, Enware's Leva range combines outstanding quality with functional design to deliver sophisticated bench and wall mounted lever tapware.

The proven range includes two lever lengths — 150mm or 80mm and is well suited for applications where hand hygiene or ease of use is important.

The easier reach, operation and control also suits accessible applications.

Should you require tailor-made tapware, Enware has the capability and expertise to meet your specific requirements.

ENWARE'S PROVEN LEVA RANGE FEATURES:

- Robustly constructed from dezincification resistant brass with durable chrome plating
- Ergonomic and smart, leading-edge design
- Engineered for easy operation and control
- Clear identification on all lever handles for blue, yellow and red water control
- Unique handle fixing delivers superior strength and longevity
- Anti-rotating SBA minimises handle rotation



Enware Tapware is manufactured to the exacting WaterMark standard AS/NZS3718 and AS4020.

- Anti-rocking bushes and lock nut provide greater handle stability
- Durable bright chrome finish, plus satin chrome and powder coated options
- Sets supplied complete with handles, identification rings and outlets

water efficiency

ENWARE AUSTRALIA HAS USED THE PERFORMANCE CRITERIA OF:

- AS/NZS6400 – Water Efficient Products — Rating and Labelling
- AS/NZS3718 – Tapware
- AS/NZS3662 – Showers

as the benchmark for our water efficient product performance.

The pressure compensating flow control technology included in Enware's product ensures a more consistent flow rate delivery across the pressure band from 150kPa–500kPa.

TAPWARE



WELS 3 Star (8lpm) water efficiency rating supplied as standard. For 5 Star (6lpm) request when ordering.

SHOWERS




Fixed showers are 3 Star (8lpm) water efficiency rating.

Hand held showers are 3 Star (8.5lpm) water efficiency rating.


leva 150 series

Designed specifically for hands-free operation, it features elbow lever activated tapware that helps reduce the risk of cross-contamination.



leva 80 series

For easy palm and wrist activated tapware, the LEVA 80 series delivers an extensive choice with greater control, particularly for arthritis sufferers.




wall depth adjustments

Extended spindles 20, 25, 30 and 40mm can be ordered to allow for deeper recesses.


LEVA SERIES LJV150 LJV80 JUMPER VALVE

From 1mm behind finished wall to 16mm behind finished wall.



LEVA SERIES LEV150 LEV80 CERAMIC DISC

From 2mm in front of finished wall to 14mm behind finished wall.



options

FINISHES:

- Bright Chrome is standard
- Optional Satin Chrome and Epoxy Powder Coating

INDICATORS:

- Sets supplied with Blue, Yellow and Red Indicator Rings. For single taps, specify when ordering

SPOUT OPTIONS:

- Custom sizing is available refer to Page 208

OUTLET OPTIONS:

- Aeration is supplied standard on wall and hob mounted spouts
- Laminar flow option available in 6 or 8lpm — specify when ordering



technical information

	CERAMIC DISC	JUMPER VALVE
Minimum–Maximum Working Pressure (AS/NZS 3500)*	50–500kPa	30–500kPa
Maximum Static Pressure	800kPa	1200kPa
Maximum Working Temperature**	85°C	95°C

*Enware products are to be installed in accordance with AS/NZS3500. **Heated Water Supply AS/NZS 3500.4: For all sanitary fixtures used primarily for personal hygiene purposes are to deliver heated water not exceeding: a) 45°C for early childhood centres, primary and secondary schools and nursing homes or similar facilities for young, aged care, sick people with disabilities b) 50°C in all other buildings.


RELATED PRODUCTS

Lever Action Series — 150 and 200mm — Page 107
 Lever Action Expo Series — Page 118
 Electronic Touch Button and Sensor Tapware — Page 239
 Knee Operated and Foot Operated Tapware — Page 159


Basins — Page 330
 Outlets, Spouts, Showers — Page 207
 Thermostatic Mixing Valves — Page 269
 Aquablend SQX Point of Use Thermostatic Mixers — Page 260

Leva 150mm Recess Adaptor


LEV150308	1/4 Turn Ceramic Disc
LJV150308	1/4 Turn Jumper Valve

**Leva 80mm Recess Adaptor**


LEV80308	1/4 Turn Ceramic Disc
LJV80308	1/4 Turn Jumper Valve

**Leva 150mm Sink Set with SPC010 Swivel Aerated Spout**


LEV150307	1/4 Turn Ceramic Disc
LJV150307	1/4 Turn Jumper Valve

**Leva 80mm Sink Set with SPC010 Swivel Aerated Spout**


LEV80307	1/4 Turn Ceramic Disc
LJV80307	1/4 Turn Jumper Valve

**Leva 150mm Recess Wall Set with SPC110 Swivel Aerated Spout**

LEV150315	1/4 Turn Ceramic Disc
LJV150315	1/4 Turn Jumper Valve


**Leva 80mm Recess Wall Set with SPC110 Swivel Aerated Spout**

LEV80315	1/4 Turn Ceramic Disc
LJV80315	1/4 Turn Jumper Valve




Leva 150mm Basin Set with SPC001 Fixed Aerated Spout

LEV150306	1/4 Turn Ceramic Disc
LJV150306	1/4 Turn Jumper Valve




Leva 80mm Basin Set with SPC001 Fixed Aerated Spout

LEV80306	1/4 Turn Ceramic Disc
LJV80306	1/4 Turn Jumper Valve




Leva 150mm Pillar Tap 15mm

LEV150302	1/4 Turn Ceramic Disc
LJV150302	1/4 Turn Jumper Valve




Leva 80mm Pillar Tap 15mm

LEV80302	1/4 Turn Ceramic Disc
LJV80302	1/4 Turn Jumper Valve




Leva 150mm Bib Tap — Female 15mm

LEV150301F	1/4 Turn Ceramic Disc
LJV150301F	1/4 Turn Jumper Valve



Leva 80mm Bib Tap — Female 15mm

LEV80301F	1/4 Turn Ceramic Disc
LJV80301F	1/4 Turn Jumper Valve




Leva 150mm Type 50 Hob Mounted Mixing Set with SPC021 Swivel Aerated Spout

LEV150401

1/4 Turn Ceramic Disc

LJV150401

1/4 Turn Jumper Valve




Leva 80mm Type 50 Hob Mounted Mixing Set with SPC021 Swivel Aerated Spout

LEV80401

1/4 Turn Ceramic Disc

LJV80401

1/4 Turn Jumper Valve



Leva 150mm Type 51 Wall Mounted Mixing Set with SPC020 Swivel Aerated Spout

LEV150402


1/4 Turn Ceramic Disc
— 150mm Spout Length

LEV150402-270

1/4 Turn Ceramic Disc
— 200mm spout length

LJV150402

1/4 Turn Jumper Valve




Leva 80mm Type 51 Wall Mounted Mixing Set with SPC020 Swivel Aerated Spout

LEV80402

1/4 Turn Ceramic Disc

LJV80402

1/4 Turn Jumper Valve




Leva 150mm Type 56 Wall Mounted Surgeon Mixing Set

LEV150420

1/4 Turn Ceramic Disc

LJV150420

Jumper Valve




Leva 150mm Type 50 Hob Mounted Surgeon Mixing Set

LEV150421

1/4 Turn Ceramic Disc

LJV150421


Jumper Valve



Leva Type 51 Wall Mounted Adjustable Mixing Set

LEV150422


1/4 Turn Ceramic Disc



Leva Type 56 Wall Mounted Adjustable Mixing Set

LEV150426

1/4 Turn Ceramic Disc




Leva 150mm Recess Wall set with SPC201 Deluxe Fixed Aerated Bath Spout

LEV150314

1/4 Turn Ceramic Disc

LJV150314

1/4 Turn Jumper Valve




Leva 80mm Recess Wall set with SPC201 Deluxe Fixed Aerated Bath Spout

LEV80314

1/4 Turn Ceramic Disc

LJV80314

1/4 Turn Jumper Valve




Leva 150mm Recessed Wall Set with SP262 Deluxe Shower Rose

LEV150316

1/4 Turn Ceramic Disc

LJV150316

1/4 Turn Jumper Valve




Leva 80mm Recessed Wall Set with SP262 Deluxe Shower Rose

LEV80316

1/4 Turn Ceramic Disc


LJV80316

1/4 Turn Jumper Valve




Leva 150 Recess Hand Held Shower Set with 900mm S/S Grab Rail, Adjustable Holder & Hose

LEV150364	1/4 Turn Ceramic Disc
LJV150364	1/4 Turn Jumper Valve




Leva 80 Recess Hand Held Shower Set with 900mm S/S Grab Rail, Adjustable Holder & Hose

LEV80364	1/4 Turn Ceramic Disc
LJV80364	1/4 Turn Jumper Valve




Leva 150 Recess Set with SGR023C Chrome Hand Held Shower and 1.5m Hose with 900mm Stainless Steel Grab Rail

LEV150364C	1/4 Turn Ceramic Disc — Smooth Matte Chrome Hose
LJV150364C	Jumper Valve — Smooth Matte Chrome Hose




Leva 80 Recess Set with SGR023C Chrome Hand Held Shower and 1.5m Hose with 900mm Stainless Steel Grab Rail

LEV80364C	1/4 Turn Ceramic Disc — Smooth Matte Chrome Hose
LJV80364C	Jumper Valve — Smooth Matte Chrome Hose




Leva 150mm Washing Machine Tap

LEV150313	1/4 Turn Ceramic Disc
LJV150313	1/4 Turn Jumper Valve



Leva 80mm Washing Machine Tap

LEV80313	1/4 Turn Ceramic Disc
LJV80313	1/4 Turn Jumper Valve




Leva 150mm Recess Wall Set with SP251 Extendable Laundry Arm

LEV150347

1/4 Turn Ceramic Disc

LJV150347

1/4 Turn Jumper Valve



Leva 80mm Recess Wall Set with SP251 Extendable Laundry Arm

LEV80347

1/4 Turn Ceramic Disc

LJV80347


1/4 Turn Jumper Valve



Leva 150 Handle and Identification Ring

LEV150378


150mm Lever suits Ceramic Disc



Leva 150 Handle and Identification Ring

LJV150378

150mm Lever suits Jumper Valve



Leva 150mm Pillar/Bib Top Assembly

LEV150390


150mm Lever — 1/4 Turn Ceramic Disc



Leva 150mm Pillar/Bib Top Assembly

LJV150390


150mm Lever — 1/4 Turn Jumper Valve



Leva 150mm Basin/Sink Top Assembly


LEV150391

150mm Lever — 1/4 Turn Ceramic Disc

**Leva 150mm Basin/Sink Top Assembly**


LJV150391

150mm Lever — 1/4 Turn Jumper Valve

**Leva 150mm Recess Adaptor Extended 15mm**


LEV150392

1/4 Turn Ceramic Disc

**Leva 150mm Recess Adaptor Extended 15mm**


LJV150392

1/4 Turn Jumper Valve

**Leva 150mm Recess Adaptor Extended 20mm**


LEV150393

1/4 Turn Ceramic Disc

**Leva 150mm Recess Adaptor Extended 20mm**

LJV150393


1/4 Turn Jumper Valve



Leva 80 Handle and Identification Ring

LEV80378


80mm Lever suits Ceramic Disc



Leva 80 Handle and Identification Ring

LJV80378


80mm Lever suits Jumper Valve



Leva 80mm Pillar/Bib Top Assembly

LEV80390


80mm Lever — 1/4 Turn Ceramic Disc



Leva 80mm Pillar/Bib Top Assembly

LJV80390


80mm Lever — 1/4 Turn Jumper Valve



Leva 80mm Basin/Sink Top Assembly

LEV80391


80mm Lever — 1/4 Turn Ceramic Disc



Leva 80mm Basin/Sink Top Assembly

LJV80391


80mm Lever — 1/4 Turn Jumper Valve



Leva 80mm Recess Adaptor Extended 15mm


LEV80392

1/4 Turn Ceramic Disc

**Leva 80mm Recess Adaptor Extended 15mm**


LJV80392

1/4 Turn Jumper Valve

**Leva 80mm Recess Adaptor Extended 20mm**


LEV80393

1/4 Turn Ceramic Disc

**Leva 80mm Recess Adaptor Extended 20mm**

LJV80393

1/4 Turn Jumper Valve

**Leva Pillar/Bib Stuffing Box Ceramic Disc
— Suits LEV150 and LEV80**

LEV380

1/4 Turn Ceramic Disc

**Leva Basin/Sink Stuffing Box Assembly Ceramic Disc
— Suits LEV150 and LEV80**

LEV381

1/4 Turn Ceramic Disc



Leva Recess Stuffing Box Assembly Ceramic Disc — Suits LEV150 and LEV80

LEV382	1/4 Turn Ceramic disc — Standard
LEV383	1/4 Turn Ceramic Disc — 15mm Extended
LEV384	1/4 Turn Ceramic Disc — 20mm Extended
LEV385	1/4 Turn Ceramic Disc — 25mm Extended
LEV386	1/4 Turn Ceramic Disc — 30mm Extended
LEV387	1/4 Turn Ceramic Disc — 40mm Extended



Leva Replacement Identification Rings

LEV398	3 Pack — (1x Red, 1x Yellow, 1x Blue)
--------	---------------------------------------



Leva Handle Alignment Tool

LEV399	For Ceramic Disc (LEV models)
LJV399	For Jumper Valve (LJV Models)



Leva Pillar/Bib Stuffing Box Jumper Valve — Suits LJV150 and LJV80

LJV380	1/4 Turn Jumper Valve
--------	-----------------------



Leva Basin/Sink Stuffing Box Assembly Jumper Valve — Suits LJV150 and LJV80

LJV381	1/4 Turn Jumper Valve
--------	-----------------------



Leva Recess Stuffing Box Assembly Jumper Valve — Suits LJV150 and LJV80

LJV382	1/4 Turn Jumper Valve — Standard
LJV383	1/4 Turn Jumper Valve — 15mm Extended
LJV384	1/4 Turn Jumper Valve — 20mm Extended
LJV385	1/4 Turn Jumper Valve — 25mm Extended
LJV386	1/4 Turn Jumper Valve — 30mm Extended
LJV387	1/4 Turn Jumper Valve — 40mm Extended



lever action 150 & 200mm series

The functional designs – in sizes of 150mm and 200mm – make them perfect for applications in which ease of operation and control is paramount.

Recognised for quality, simplicity and proven endurance, the versatility of wall or bench mounting makes them ideal for medical, surgical and laboratory use, as well as hygienic commercial food preparation.

ENWARE'S PROVEN LEVER ACTION RANGE FEATURES:

- Hands free elbow activation for improved hygiene and reducing the risk of hand cross contamination
- Engineered for easy operation and control
- Constructed from dezincification resistant (DR) brass
- Durable bright chrome finish, plus satin chrome and powder coated options

150MM SERIES

Recommended uses – Hospital and healthcare, disabled facilities, retirement villages, food preparation, commercial kitchens, surgical and scrub up areas.

200MM SERIES

Recommended uses – Surgical scrub up areas.



WaterMark
AS/NZS 3718 WMKA 1583
SAI Global

Enware Tapware is manufactured to the exacting WaterMark standard AS/NZS3718 and AS4020.

water efficiency

ENWARE AUSTRALIA HAS USED THE PERFORMANCE CRITERIA OF:

- AS/NZS6400 – Water Efficient Products – Rating and Labelling
- AS/NZS3718 – Tapware
- AS/NZS3662 – Showers

as the benchmark for our water efficient product performance.

The pressure compensating flow control technology included in Enware's product ensures a more consistent flow rate delivery across the pressure band from 150kPa–500kPa.

TAPWARE



WELS 3 Star (8lpm) water efficiency rating supplied as standard. For 5 Star (6lpm) request when ordering.

SHOWERS




Fixed showers are 3 Star (8lpm) water efficiency rating.

Hand held showers are 3 Star (8.5lpm) water efficiency rating.



wall depth adjustments

Extended spindles 20, 25, 30 and 40mm can be ordered to allow for deeper recesses.




NON-RISE JUMPER VALVE

From 1mm in front of finished wall to 14mm behind finished wall.





150mm




200mm

CERAMIC DISC

From 6mm behind finished wall to 13mm behind finished wall.



150mm



200mm

options

FINISHES:

- Bright Chrome is standard
- Optional Satin Chrome and Epoxy Powder Coating

INDICATORS:

- Sets supplied with Blue, Yellow and Red Indicator Buttons. For single taps, specify when ordering

SPOUT OPTIONS:

- Custom sizing is available refer to Page 208

OUTLET OPTIONS:

- Aeration is supplied standard on wall and hob mounted spouts
- Laminar flow option available in 6 or 8lpm — specify when ordering



NOTE: Diagram for handle rotation reference only — LEVA handles pictured here.

technical information

	CERAMIC DISC	JUMPER VALVE
Minimum–Maximum Working Pressure (AS/NZS 3500)*	50–500kPa	30–500kPa
Maximum Static Pressure	800kPa	1200kPa
Maximum Working Temperature**	85°C	95°C

*Enware products are to be installed in accordance with AS/NZS3500. **Heated Water Supply AS/NZS 3500.4: For all sanitary fixtures used primarily for personal hygiene purposes are to deliver heated water not exceeding: **a) 45°C** for early childhood centres, primary and secondary schools and nursing homes or similar facilities for young, aged care, sick people with disabilities **b) 50°C** in all other buildings.


RELATED PRODUCTS

Leva Series — 80 and 150mm — Page 94
 Lever Action Expo Series — Page 118
 Electronic Touch Button and Sensor Tapware — Page 239
 Knee Operated and Foot Operated Tapware — Page 159

Basins — Page 330
 Outlets, Spouts, Showers — Page 207
 Thermostatic Mixing Valves — Page 269
 Aquablend SQX Point of Use Thermostatic Mixers — Page 260


Lever Action Recess Adaptor

HOS308	150mm Lever 1/4 Turn Ceramic Disc Standard
HPS308	200mm Lever 1/4 Turn Ceramic Disc Standard
JHS308	150mm Lever 1/4 Turn Jumper Valve Standard
JPS308	200mm Lever 1/4 Turn Jumper Valve Standard




Lever Action Forward Bowl Sink Set With SP010 Spout

HOS307	150mm Lever 1/4 Turn Ceramic Disc
HPS307	200mm Lever 1/4 Turn Ceramic Disc
JHS307	150mm Lever 1/4 Turn Jumper Valve
JPS307	200mm Lever 1/4 Turn Jumper Valve




Lever Action Recess Set With SP110 Swivel Spout

HOS315	150mm Lever 1/4 Turn Ceramic Disc
JHS315	150mm Lever 1/4 Turn Jumper Valve




Lever Action Basin Set With SP001 Spout

HOS306	150mm Lever 1/4 Turn Ceramic Disc
HPS306	200mm Lever 1/4 Turn Ceramic Disc
JHS306	150mm Lever 1/4 Turn Jumper Valve
JPS306	200mm Lever 1/4 Turn Jumper Valve




Lever Action Type 50 Hob Surgeon Set with SP021 Swivel Spout

HOS401	150mm Lever 1/4 Turn Ceramic Disc
HPS401	200mm Lever 1/4 Turn Ceramic Disc
JHS401	150mm Lever 1/4 Turn Jumper Valve
JPS401	200mm Lever 1/4 Turn Jumper Valve



Lever Action Type 51 Wall Surgeon Set with SP020 Swivel Spout


HOS402	150mm Lever 1/4 Turn Ceramic Disc
HOS402-270	150mm Lever 1/4 Turn Ceramic Disc 200mm spout length
HPS402	200mm Lever 1/4 Turn Ceramic Disc
JHS402	150mm Lever 1/4 Turn Jumper Valve
JPS402	200mm Lever 1/4 Turn Jumper Valve



Lever Action Type 52 Mixed Water Outlet Warm

HOS400

150mm Lever 1/4 Turn Ceramic Disc

**Lever Action Type 54 Outlet Mixed Water**

HOS403

150mm Lever 1/4 Turn Ceramic Disc

HPS403


200mm Lever 1/4 Turn Ceramic Disc

JHS403

150mm Lever 1/4 Turn Jumper Valve


JPS403

200mm Lever 1/4 Turn Jumper Valve

**Lever Action Type 56 Wall Mixing Set Fixed Spout**

HOS420

150mm Lever 1/4 Turn Ceramic Disc

**Lever Action Type 50 Adjustable Hob Surgeon Set with SP021 Swivel Spout**

HOS421

150mm Lever 1/4 Turn Ceramic Disc

HPS421


200mm Lever 1/4 Turn Ceramic Disc

JHS421

150mm Lever 1/4 Turn Jumper Valve

JPS421

200mm Lever 1/4 Turn Jumper Valve

**Lever Action Type 51 Adjustable Wall Surgeon Set with SP020 Swivel Spout**

HOS422

150mm Lever 1/4 Turn Ceramic Disc

HPS422

200mm Lever 1/4 Turn Ceramic Disc

JHS422


150mm Lever 1/4 Turn Jumper Valve

JHS422Z

150mm Lever 1/4 Turn J/Valve
(NZ 300+D1331 Aer Spt)


JPS422

200mm Lever 1/4 Turn Jumper Valve

**Lever Action Type 56 Wall Mounted Surgeon Set Fixed Spout & Adjustable Centre**


HOS426

150mm Lever 1/4 Turn Ceramic Disc




Lever Action Pillar Tap 15mm

HOS302	150mm Lever 1/4 Turn Ceramic Disc
JHS302	150mm Lever 1/4 Turn Jumper Valve




Lever Action Pillar Tap Aerated

HOS327	150mm Lever 1/4 Turn Ceramic Disc
JHS327	150mm Lever 1/4 Turn Jumper Valve




Lever Action Pillar Tap Ablution

HOS337	150mm Lever 1/4 Turn Ceramic Disc
JHS337	150mm Lever 1/4 Turn Jumper Valve



Lever Action Bib Tap 15mm

HOS301F	150mm Lever 1/4 Turn Ceramic Disc Female
HOS301M	150mm Lever 1/4 Turn Ceramic Disc Male
JHS301F	150mm Lever 1/4 Turn Jumper Valve Female
JHS301M	150mm Lever 1/4 Turn Jumper Valve Male




Lever Action Bib Tap 15mm Ablution

HOS312F	150mm Lever 1/4 Turn Ceramic Disc Female
HOS312M	150mm Lever 1/4 Turn Ceramic Disc Male
JHS312F	150mm Lever 1/4 Turn Jumper Valve Female
JHS312M	150mm Lever 1/4 Turn Jumper Valve Male




Lever Action Bib Tap Aerated

HOS325F	150mm Lever 1/4 Turn Ceramic Disc Female
HOS325M	150mm Lever 1/4 Turn Ceramic Disc Male
JHS325F	150mm Lever 1/4 Turn Jumper Valve Female
JHS325M	150mm Lever 1/4 Turn Jumper Valve Male




Lever Action Bib Tap FI 50mm Extended


HOS321F	150mm Lever 1/4 Turn Ceramic Disc
JHS321F	150mm Lever 1/4 Turn Jumper Valve

**Lever Action Bib Tap FI 50mm Extended Aerated**


HOS322F	150mm Lever 1/4 Turn Ceramic Disc
JHS322F	150mm Lever 1/4 Turn Jumper Valve

**Lever Action Bib Tap FI 50mm Extended Ablution**


HOS333F	150mm Lever 1/4 Turn Ceramic Disc
JHS333F	150mm Lever 1/4 Turn Jumper Valve

**Lever Action Recess Set With SP201 Fixed Spout**


HOS314	150mm Lever 1/4 Turn Ceramic Disc
JHS314	150mm Lever 1/4 Turn Jumper Valve

**Lever Action Recess Set With SP272 White Hand Held Shower and 1.5m Hose**

HOS361	150mm Lever 1/4 Turn Ceramic Disc
JHS361	150mm Lever 1/4 Turn Jumper Valve


**Lever Action Recess Set With SP272C Chrome Hand Held Shower and 1.5m Hose**

HOS361C	150mm Lever 1/4 Turn Ceramic Disc — Smooth Matte Chrome Hose
JHS361C	150mm Lever 1/4 Turn Jumper Valve — Smooth Matte Chrome Hose




Lever Action Recess Set With SP273 White Hand Held Shower and 900mm Wall Bar

HOS363	150mm Lever 1/4 Turn Ceramic Disc
JHS363	150mm Lever 1/4 Turn Jumper Valve




Lever Action Recess Set With SP273C Chrome Hand Held Shower and 900mm Wall Bar

HOS363C	150mm Lever 1/4 Turn Ceramic Disc — Smooth Matte Chrome Hose
JHS363C	150mm Lever 1/4 Turn Jumper Valve — Smooth Matte Chrome Hose




Lever Action Recess Set With SGR023 White Hand Held Shower and 1.5m Hose with 900mm Stainless Steel Grab Rail

HOS364	150mm Lever 1/4 Turn Ceramic Disc
JHS364	150mm Lever 1/4 Turn Jumper Valve




Lever Action Recess Set With SGR023C Chrome Hand Held Shower and 1.5m Hose with 900mm Stainless Steel Grab Rail

HOS364C	150mm Lever 1/4 Turn Ceramic Disc — Smooth Matte Chrome Hose
JHS364C	150mm Lever 1/4 Turn Jumper Valve — Smooth Matte Chrome Hose




Lever Action Recess Set With SP261 Shower

HOS316	150mm Lever 1/4 Turn Ceramic Disc
JHS316	150mm Lever 1/4 Turn Jumper Valve




Lever Action Recess Set With SP263 Shower

HOS349	150mm Lever 1/4 Turn Ceramic Disc
JHS349	150mm Lever 1/4 Turn Jumper Valve




Lever Action Recess Set With VP310 Shower


HOS354	150mm Lever 1/4 Turn Ceramic Disc
JHS354	150mm Lever 1/4 Turn Jumper Valve

**Lever Action Shampoo Set Basin Mounted**


HOS346	150mm Lever 1/4 Turn Ceramic Disc
JHS346	150mm Lever 1/4 Turn Jumper Valve

**Lever Action Recess Set With SP251 Laundry Arm**


HOS347	150mm Lever 1/4 Turn Ceramic Disc
JHS347	150mm Lever 1/4 Turn Jumper Valve

**Lever Action Hose Tap 15mm**


HOS305F	150mm Lever 1/4 Turn Ceramic Disc Female
HOS305M	150mm Lever 1/4 Turn Ceramic Disc Male
JHS305F	150mm Lever 1/4 Turn Jumper Valve Female
JHS305M	150mm Lever 1/4 Turn Jumper Valve Male

**Lever Action Recess Set With FS729 Spray**

HOS365	150mm Lever 1/4 Turn Ceramic Disc
JHS365	150mm Lever 1/4 Turn Jumper Valve

**Lever Handle & Button**

HOS378	150mm Lever 1/4 Turn Ceramic Disc
HPS378	200mm Lever 1/4 Turn Ceramic Disc
JHS378	150mm Lever 1/4 Turn Jumper Valve
JPS378	200mm Lever 1/4 Turn Jumper Valve



Lever Pillar/Bib Stuffing Box Assembly

HOS380

1/4 Turn Ceramic Disc



Lever Pillar/Bib Stuffing Box Assembly

JHS380


1/4 Turn Jumper Valve



Lever Basin/Sink Stuffing Box Assembly

HOS381

1/4 Turn Ceramic Disc



Lever Basin/Sink Stuffing Box Assembly

JHS381

1/4 Turn Jumper Valve



Lever Action Recess Stuffing Box Assembly

HOS382

1/4 Turn Ceramic Disc — Standard

HOS383

1/4 Turn Ceramic Disc — 15mm Extended

HOS384

1/4 Turn Ceramic Disc — 20mm Extended

HOS385

1/4 Turn Ceramic Disc — 25mm Extended

HOS386

1/4 Turn Ceramic Disc — 30mm Extended

HOS387

1/4 Turn Ceramic Disc — 40mm Extended



Lever Rising Spindle Recess Stuffing Box Assembly

JHS382

1/4 Turn Jumper Valve — Standard

JHS383

1/4 Turn Jumper Valve — 15mm Extended

JHS384

1/4 Turn Jumper Valve — 20mm Extended

JHS385

1/4 Turn Jumper Valve — 25mm Extended

JHS386

1/4 Turn Jumper Valve — 30mm Extended

JHS387

1/4 Turn Jumper Valve — 40mm Extended




Lever Action Pillar/Bib Top Assembly


HOS390	150mm Lever 1/4 Turn Ceramic Disc
HPS390	200mm Lever 1/4 Turn Ceramic Disc

**Lever Action Pillar/Bib Top Assembly**


JHS390	150mm Lever 1/4 Turn Jumper Valve
JPS390	200mm Lever 1/4 Turn Jumper Valve

**Lever Action Basin/Sink Top Assembly**


HOS391	150mm Lever 1/4 Turn Ceramic Disc
HPS391	200mm Lever 1/4 Turn Ceramic Disc

**Lever Action Basin/Sink Top Assembly**

JHS391	150mm Lever 1/4 Turn Jumper Valve
JPS391	200mm Lever 1/4 Turn Jumper Valve

**Lever Action Recess Adaptor Extended**

HOS392	150mm Lever 1/4 Turn Ceramic Disc 15mm Extended
HOS393	150mm Lever 1/4 Turn Ceramic Disc 20mm Extended
JHS392	150mm Lever 1/4 Turn Jumper Valve 15mm Extended
JHS393	150mm Lever 1/4 Turn Jumper Valve 20mm Extended



lever action expo series

The functional Expo Lever design allows for easy use with the palm or wrist, especially for those with arthritis.

Recognised for quality, simplicity and proven endurance, the wide variety of configurations make them an ideal choice for applications such as aged care and health care, patient ensuite or staff facilities where the Expo style compliments the longer levers used at dedicated hand wash stations.

ENWARE'S PROVEN LEVER ACTION RANGE FEATURES:

- Engineered for easy operation and control
- Constructed from dezincification resistant (DR) brass
- Durable bright chrome finish, plus satin chrome and powder coated options for easy media identification.

options

FINISHES:

- Bright Chrome is standard
- Optional Satin Chrome and Epoxy Powder Coating

INDICATORS:

- Sets supplied with Blue, Yellow and Red Indicator Buttons.
For single taps, specify when ordering




Enware Tapware is manufactured to the exacting WaterMark standard AS/NZS3718 and AS4020.

SPOUT OPTIONS:

- Custom sizing is available refer to Page 208

OUTLET OPTIONS:

- Aeration is supplied standard on wall and hob mounted spouts
- Laminar flow option available in 6 or 8lpm
— specify when ordering



NOTE: Diagram for handle rotation reference only — LEVA handles pictured here.

water efficiency

ENWARE AUSTRALIA HAS USED THE PERFORMANCE CRITERIA OF:

- AS/NZS6400 – Water Efficient Products — Rating and Labelling
- AS/NZS3718 – Tapware
- AS/NZS3662 – Showers

as the benchmark for our water efficient product performance.

The pressure compensating flow control technology included in Enware's product ensures a more consistent flow rate delivery across the pressure band from 150kPa–500kPa.

TAPWARE



WELS 3 Star (8lpm) water efficiency rating supplied as standard. For 5 Star (6lpm) request when ordering.

SHOWERS



Fixed showers are 3 Star (8lpm) water efficiency rating.

Hand held showers are 3 Star (8.5lpm) water efficiency rating.

technical information

	CERAMIC DISC	JUMPER VALVE
Minimum–Maximum Working Pressure (AS/NZS 3500)*	50–500kPa	30–500kPa
Maximum Static Pressure	800kPa	1200kPa
Maximum Working Temperature**	85°C	95°C



*Enware products are to be installed in accordance with AS/NZS3500. **Heated Water Supply AS/NZS 3500.4: For all sanitary fixtures used primarily for personal hygiene purposes are to deliver heated water not exceeding: a) 45°C for early childhood centres, primary and secondary schools and nursing homes or similar facilities for young, aged care, sick people with disabilities b) 50°C in all other buildings.

wall depth adjustments

Extended spindles 20, 25, 30 and 40mm can be ordered to allow for deeper recesses.



NON-RISING JUMPER VALVE

From 1mm in front of finished wall to 14mm behind finished wall.



CERAMIC DISC

From 6mm behind finished wall to 13mm behind finished wall.




RELATED PRODUCTS

Lever Action Series — 150 and 200mm — Page 107
Leva 80 and 150mm Series — Page 94
Knee Operated and Foot Operated Tapware — Page 159

Outlets, Spouts, Showers — Page 207
Thermostatic Mixing Valves — Page 269
AquaBlend SQX Point of Use Thermostatic Mixers — Page 260


Expo Recess Adaptor

EX308	1/4 Turn Ceramic Disc Standard
EXN308	1/4 Turn Jumper Valve Non Rising Standard




Expo Forward Bowl Sink Set With SP010 Spout

EX307	1/4 Turn Ceramic Disc
EXN307	1/4 Turn Jumper Valve Non Rising




Expo Recess Set With SP110 Swivel Spout

EX315	1/4 Turn Ceramic Disc
EXN315	1/4 Turn Jumper Valve Non Rising




Expo Recess Set With FS729 Spray

EX365	1/4 Turn Ceramic Disc
EXN365	1/4 Turn Jumper Valve Non Rising




Expo Dual Mixer With SP020 Spout and Flexible Connectors

EX370	1/4 Turn Ceramic Disc
EXN370	1/4 Turn Jumper Valve Non Rising




Expo Basin Set With SP001 Spout

EX306	1/4 Turn Ceramic Disc
EXN306	1/4 Turn Jumper Valve Non Rising




Expo Pillar Tap 15mm

EX302	1/4 Turn Ceramic Disc
EXN302	1/4 Turn Jumper Valve Non Rising

**Expo Pillar Tap**


EX327	Aerated 1/4 Turn Ceramic Disc
EXN327	Aerated 1/4 Turn Jumper Valve Non Rising

**Expo Pillar Tap**


EX337	Ablution Outlet — 1/4 Turn Ceramic Disc
EXN337	Ablution Outlet — 1/4 Turn Jumper Valve Non Rising

**Expo Bib Tap 15mm**


EX301F	1/4 Turn Ceramic Disc Female
EX301M	1/4 Turn Ceramic Disc Male
EXN301F	1/4 Turn Jumper Valve Non Rising Female
EXN301M	1/4 Turn Jumper Valve Non Rising Male

**Expo Bib Tap FI 50mm Extended**

EX321F	1/4 Turn Ceramic Disc
EXN321F	1/4 Turn Jumper Valve Non Rising

**Expo Bib Tap FI 50mm Extended**

EX322F	1/4 Turn Ceramic Disc
EXN322F	Aerated 1/4 Turn Jumper Valve Non Rising




Expo Bib Tap FI 50mm Extended Ablution

EX333F

Ablution Outlet — 1/4 Turn Ceramic Disc

EXN333F

Ablution Outlet — 1/4 Turn Jumper Valve Non Rising



Expo Bib Tap

EX325F

Aerated 1/4 Turn Ceramic Disc — Female Inlet

EX325M


Aerated 1/4 Turn Ceramic Disc — Male Inlet

EXN325F

Aerated 1/4 Turn Jumper Valve Non Rising — Female Inlet

EXN325M

Aerated 1/4 Turn Jumper Valve Non Rising — Male Inlet



Expo Bib Tap 15mm

EX312F

Ablution Outlet — 1/4 Turn Ceramic Disc — Female Inlet

EX312M


Ablution Outlet — 1/4 Turn Ceramic Disc — Male Inlet

EXN312F

Ablution Outlet — 1/4 Turn Jumper Valve Non Rising — Female Inlet

EXN312M

Ablution Outlet — 1/4 Turn Jumper Valve Non Rising — Male Inlet




Expo Recess Set With SP201 Fixed Spout

EX314

1/4 Turn Ceramic Disc

EXN314

1/4 Turn Jumper Valve Non Rising




Expo Recess Set With SP261 Shower

EX316

1/4 Turn Ceramic Disc

EXN316

1/4 Turn Jumper Valve Non Rising




Expo Shampoo Set Basin Mounted

EX346

1/4 Turn Ceramic Disc


EXN346

1/4 Turn Jumper Valve Non Rising




Expo Recess Set With SP263 Shower


EX349	1/4 Turn Ceramic Disc
EXN349	1/4 Turn Jumper Valve Non Rising

**Expo Recess Set With VP310 Shower**


EX354	1/4 Turn Ceramic Disc
EXN354	1/4 Turn Jumper Valve Non Rising

**Expo Recess Set With SP272 White Shower with 1.5m Hose**


EX361	1/4 Turn Ceramic Disc
EXN361	1/4 Turn Jumper Valve Non Rising

**Expo Recess Set With SP272C Chrome Shower with 1.5m Hose**

EX361C	1/4 Turn Ceramic Disc — Smooth Matte Chrome Hose
EXN361C	1/4 Turn Jumper Valve Non Rising — Smooth Matte Chrome Hose

**Expo Recess Set With SP273 White Hand Held Shower and 900mm Heavy Duty Wall Bar**


EX363	1/4 Turn Ceramic Disc
EXN363	1/4 Turn Jumper Valve Non Rising



NOTE: Dimensional drawings for product illustrating purposes only. For set and compliance refer to AS/NZS 1538:2008 and 2010 amendments. Design for Access and Mobility.

Expo Recess Set With SP273C Chrome Hand Held Shower and 900mm Heavy Duty Wall Bar


EX363C	1/4 Turn Ceramic Disc — Smooth Matte Chrome Hose
--------	--



NOTE: Dimensional drawings for product illustrating purposes only. For set and compliance refer to AS/NZS 1538:2008 and 2010 amendments. Design for Access and Mobility.


Expo Recess Set With SGR023 White Hand Held Shower and 1.5m Hose with 900mm Stainless Steel Grab Rail

EX364	1/4 Turn Ceramic Disc
EXN364	1/4 Turn Jumper Valve Non Rising




Expo Recess Set With SGR023C Chrome Hand Held Shower and 1.5m Hose with 900mm Stainless Steel Grab Rail

EX364C	1/4 Turn Ceramic Disc — Smooth Matte Chrome Hose
EXN364C	1/4 Turn Jumper Valve Non Rising — Smooth Matte Chrome Hose



Expo Recess Set With SP251 Laundry Arm

EX347	1/4 Turn Ceramic Disc
EXN347	1/4 Turn Jumper Valve Non Rising



Expo Washing Machine Tap

EX313	1/4 Turn Ceramic Disc
EXN313	1/4 Turn Jumper Valve Non Rising

Expo Cistern Tap Right Angle M&F 15mm

EX303	1/4 Turn Ceramic Disc
EXN303	1/4 Turn Jumper Valve Non Rising

Expo Hose Tap 15mm

EX305F	1/4 Turn Ceramic Disc Female
EX305M	1/4 Turn Ceramic Disc Male
EXN305F	1/4 Turn Jumper Valve Non Rising Female
EXN305M	1/4 Turn Jumper Valve Non Rising Male

Product details in this guide are indicative only and may change without notice.

1300 369 273 | WWW.ENWARE.COM.AU

124

Expo Handle

EX378

**Expo Bib/Pillar Stuffing Box Assembly**


EX380

1/4 Turn Ceramic Disc

**Expo Bib/Pillar Stuffing Box Assembly**

EXN380

1/4 Turn Jumper Valve Non Rising

**Expo Basin/Sink Stuffing Box Assembly**

EX381

1/4 Turn Ceramic Disc

**Expo Basin/Sink Stuffing Box Assembly**

EXN381

1/4 Turn Jumper Valve Non Rising

**Expo Recess Stuffing Box Assembly**

EX382	1/4 Turn Ceramic Disc — Standard
EX383	1/4 Turn Ceramic Disc — 15mm Extended
EX384	1/4 Turn Ceramic Disc — 20mm Extended
EX385	1/4 Turn Ceramic Disc — 25mm Extended
EX386	1/4 Turn Ceramic Disc — 30mm Extended
EX387	1/4 Turn Ceramic Disc — 40mm Extended




Expo Recess Stuffing Box Assembly

EXN382	1/4 Turn Jumper Valve Non Rising — Standard
EXN383	1/4 Turn Jumper Valve Non Rising — 15mm Extended
EXN384	1/4 Turn Jumper Valve Non Rising — 20mm Extended
EXN385	1/4 Turn Jumper Valve Non Rising — 25mm Extended
EXN386	1/4 Turn Jumper Valve Non Rising — 30mm Extended
EXN387	1/4 Turn Jumper Valve Non Rising — 40mm Extended




Expo Bib/Pillar Top Assembly

EX390	1/4 Turn Ceramic Disc
-------	-----------------------




Expo Bib/Pillar Top Assembly

EXN390	1/4 Turn Jumper Valve Non Rising
--------	----------------------------------




Expo Basin/Sink Top Assembly

EX391	1/4 Turn Ceramic Disc
EXN391	1/4 Turn Jumper Valve Non Rising



Expo Recess Adaptor Extended

EX392	1/4 Turn Ceramic Disc 15mm Extended
EX393	1/4 Turn Ceramic Disc 20mm Extended
EXN392	1/4 Turn Jumper Valve Non Rising 15mm Extended
EXN393	1/4 Turn Jumper Valve Non Rising 20mm Extended



single lever mixers

The proven cartridge design provides easy control and features a brass spindle for superior strength.

THE ENWARE-ORAS MIXER RANGE FEATURES:

- Scandinavian designer tapware
- Cartridge with brass stem for superior strength and performance
- Flexible hose connections with reverse threads into mixer bodies to help keep connections tight during installation
- Serviceable design with spare parts readily available for a longer, more economical life
- Same cartridge fits all models for easier maintenance
- 15 Year conditional warranty.



Enware Tapware is manufactured to the exacting WaterMark standard AS/NZS3718 and AS4020.

water efficiency



Enware-Oras Tapware is supplied with your choice of WELS 6 Star (4lpm), 5 Star (5.5lpm), 4 Star (6.5lpm) or 3 Star (8lpm) water efficiency ratings.

technical information

Inlet Connection	15mm (½") BSP
Minimum–Maximum Working Pressure (AS/NZS 3500)	50–500kPa
Maximum Static Pressure	1000kPa
Maximum Working Temperature**	80°C

*Enware products are to be installed in accordance with AS/NZS3500.

**Heated Water Supply AS/NZS 3500.4: For all sanitary fixtures used primarily for personal hygiene purposes are to deliver heated water not exceeding: a) 45°C for early childhood centres, primary and secondary schools and nursing homes or similar facilities for young, aged care, sick people with disabilities b) 50°C in all other buildings.

RELATED PRODUCTS

- Thermostatic Mixing Valves — Page 269
- Aquablend SQX Point of Use Thermostatic Mixers — Page 260
- Basins — Page 330
- Outlets and Showers — Page 207



cubista series

Inspired by Cubist Art, Cubista is an ultra-modern family of mixers.

The timeless, understated and geometrically shaped mixers are the handiwork of top designer Kirsi Svard.

In keeping with the Oras tradition, the Cubista mixers are not only elegant, but easy to use and high in quality.



vega series

The smooth seamless style, synonymous with Scandinavian design makes this mixer range a must for your next commercial kitchen or bathroom installation.

The Vega handles include easy to see colour indicators, supplied in both Blue/Red and Blue/Yellow for applications requiring "Warm" water identification.

- Supplied with Red, Yellow and Blue indicators
- Dual fixing points to help reduce risk of rotation



viva series

The economical Viva Range of mixers from Enware Oras feature a modern design, incorporating reliable technology through decades of experience.


The easy to use viva series provides all the reliability, durability and easy water control you would expect from an Enware Oras mixer at a reasonable price.

- Dual fixing points to help reduce risk of rotation




Enware-Oras Viva Series Basin Mixer


SLM306A	Aerated 3 Star WELS — Flexible Connections
SLM306A-4	Aerated 4 Star WELS — Flexible Connections
SLM306A-5	Aerated 5 Star WELS — Flexible Connections
SLM306A-6	Aerated 6 Star WELS — Flexible Connections
SLM306ACT	3 Star WELS — Copper Tails

**Enware-Oras Viva Series Basin Mixer — Extended Handle**


SLM306AD	Aerated 3 Star WELS — Flexible Connections
SLM306AD-4	Aerated 4 Star WELS — Flexible Connections
SLM306AD-5	Aerated 5 Star WELS — Flexible Connections
SLM306AD-6	Aerated 6 Star WELS — Flexible Connections

**Enware-Oras Viva Series Sink Mixer — Aerated**


SLM307A	3 Star WELS — Flexible Connections
SLM307A-4	4 Star WELS — Flexible Connections
SLM307A-5	5 Star WELS — Flexible Connections
SLM307A-6	6 Star WELS — Flexible Connections
SLM307ACT	3 Star WELS — Copper Tails

**Enware-Oras Viva Series Shower Mixer**


SLM308A	Complete (Behind Wall Body and Exposed Parts)
SLM308AP	Exposed Parts — Fascia & Handle Only (Refer to SLM608B for behind wall parts)

**Enware-Oras Viva Series Sink Mixer with Gooseneck Spout — Aerated**

SLM309A	3 Star WELS — Flexible Connections
SLM309A-4	4 Star WELS — Flexible Connections
SLM309A-5	5 Star WELS — Flexible Connections
SLM309A-6	6 Star WELS — Flexible Connections

**Enware-Oras Viva Series Shower Mixer with Bath Diverter**


SLM310A	Complete (Behind Wall Body and Exposed Parts)
SLM310AP	Exposed Parts — Fascia, Handle & Diverter Button Only



Enware Oras Viva Mixer and Hand Held Shower Set — White

SLM361


1.5m Smooth White Hose with integral Supply Elbow/Mounting bracket



Enware Oras Viva Mixer and Hand Held Shower Set — Chrome

SLM361C


1.5m Smooth Matte Chrome Hose with integral Supply Elbow/Mounting bracket



Enware Oras Viva Mixer and Hand Held Shower Set with 900mm Wall Bar — White

SLM363


1.5m Smooth White Hose with 900mm Bright Chrome Wall Bar and White Adjustable Holder



Enware Oras Viva Mixer and Hand Held Shower Set with 900mm Wall Bar — Chrome

SLM363C


1.5m Smooth Matte Chrome Hose with 900mm Bright Chrome Wall Bar and Adjustable Holder



Enware Oras Viva Mixer and Hand Held Shower Set with 900mm Grab Rail — White

SLM364


1.5m Smooth White Hose with 900mm Rail and White Adjustable Holder



Enware Oras Viva Mixer and Hand Held Shower Set with 900mm Grab Rail — Chrome


SLM364C

1.5m Smooth Matte Chrome Hose with 900mm Rail and Adjustable Holder




Enware-Oras Vega Series Basin Mixer


SLM606	Aerated 3 Star WELS — Flexible Connections
SLM606-4	Aerated 4 Star WELS — Flexible Connections
SLM606-5	Aerated 5 Star WELS — Flexible Connections
SLM606-6	Aerated 6 Star WELS — Flexible Connections
SLM606-LAM	Laminar Flow 3 Star WELS — Flexible Connections
SLM606CT	Aerated 3 Star WELS — Copper Tails

**Enware-Oras Vega Series Basin Mixer with Accessible Extended Lever**


SLM606D	Aerated 3 Star WELS — Flexible Connections
SLM606D-4	Aerated 4 Star WELS — Flexible Connections
SLM606D-5	Aerated 5 Star WELS — Flexible Connections
SLM606D-6	Aerated 6 Star WELS — Flexible Connections
SLM606D-LAM	Laminar Flow 3 Star WELS — Flexible Connections

**Enware-Oras Vega Basin Mixer With Extended Cast Spout**


SLM606ES	Aerated 3 Star WELS — Flexible Connections
SLM606ES-4	Aerated 4 Star WELS — Flexible Connections
SLM606ES-5	Aerated 5 Star WELS — Flexible Connections

**Enware-Oras Vega Basin Mixer With Extended Cast Spout and Lever Handle**

SLM606ESD	Aerated 3 Star WELS — Flexible Connections
SLM606ESD-4	Aerated 4 Star WELS — Flexible Connections
SLM606ESD-5	Aerated 5 Star WELS — Flexible Connections


**Enware-Oras Vega Series Sink Mixer — Aerated**

SLM607	3 Star WELS — Flexible Connections
SLM607-4	4 Star WELS — Flexible Connections
SLM607-5	5 Star WELS — Flexible Connections
SLM607-6	6 Star WELS — Flexible Connections
SLM607CT	3 Star WELS — Copper Tails




Enware-Oras Vega Sink Mixer with Accessible Extended Lever — Aerated

SLM607D	3 Star WELS — Flexible Connections
SLM607D-4	4 Star WELS — Flexible Connections
SLM607D-5	5 Star WELS — Flexible Connections
SLM607D-6	6 Star WELS — Flexible Connections




Enware-Oras Shower Mixer

SLM608	Vega Series Complete (Behind Wall Body and Exposed Parts)
SLM608AP	Vega Series Exposed Parts — Fascia and Handle Only
SLM608B	Body (Behind Wall) Parts Only (suits Vega, Viva and Cubista models)
SLM608L	Assist Handle with Complete (Behind Wall Body and Exposed Parts)




Enware-Oras Vega Series Sink Mixer with Gooseneck Spout — Aerated

SLM609	3 Star WELS — Flexible Connections
SLM609-4	4 Star WELS — Flexible Connections
SLM609-5	5 Star WELS — Flexible Connections
SLM609-6	6 Star WELS — Flexible Connections




Enware-Oras Vega Series Shower Mixer with Bath Diverter

SLM610	Complete (Behind Wall Body and Exposed Parts)
SLM610AP	Exposed Parts — Fascia, Handle and Diverter Button Only




Enware Oras Vega Mixer and Hand Held Shower Set — White

SLM661	1.5m Smooth White Hose with integral Supply Elbow/Mounting bracket
--------	--



Enware Oras Vega Mixer and Hand Held Shower Set — Chrome


SLM661C	1.5m Smooth Matte Chrome Hose with integral Supply Elbow/Mounting bracket
---------	---



Enware Oras Vega Mixer and Hand Held Shower Set with 900mm Wall Bar — White

SLM663


1.5m Smooth White Hose with 900mm Bright Chrome Wall Bar and White Adjustable Holder



Enware Oras Vega Mixer and Hand Held Shower Set with 900mm Wall Bar — Chrome

SLM663C


1.5m Smooth Matte Chrome Hose with 900mm Bright Chrome Wall Bar and Adjustable Holder



Enware Oras Vega Mixer and Hand Held Shower Set with 900mm Grab Rail — White

SLM664


1.5m Smooth White Hose with 900mm Rail and White Adjustable Holder



Enware Oras Vega Mixer and Hand Held Shower Set with 900mm Grab Rail — Chrome

SLM664C

1.5m Smooth Matte Chrome Hose with 900mm Rail and Adjustable Holder



Enware-Oras Cubista Series Basin Mixer — Aerated

SLM806

3 Star WELS

SLM806-4


4 Star WELS

SLM806-5

5 Star WELS


SLM806-6

6 Star WELS




Enware-Oras Cubista Series Basin Mixer with Accessible Lever Handle

SLM806D	Aerated — 3 Star WELS — Flexible Connections
SLM806D-4	Aerated — 4 Star WELS — Flexible Connections
SLM806D-5	Aerated — 5 Star WELS — Flexible Connections
SLM806D-6	Aerated — 6 Star WELS — Flexible Connections
SLM806D-LAM	Laminar — 3 Star WELS — Flexible Connections




Enware-Oras Cubista Series Basin Mixer with Assist Handle

SLM806L	Aerated — 3 Star WELS — Flexible Connections
SLM806L-4	Aerated — 4 Star WELS — Flexible Connections
SLM806L-5	Aerated — 5 Star WELS — Flexible Connections
SLM806L-6	Aerated — 6 Star WELS — Flexible Connections
SLM806L-LAM	Laminar — 3 Star WELS — Flexible Connections




Enware-Oras Cubista Series Sink Mixer — Aerated

SLM807	3 Star WELS
SLM807-4	4 Star WELS
SLM807-5	5 Star WELS
SLM807-6	6 Star WELS




Enware-Oras Cubista Series Extended Basin Mixer with Accessible Lever Handle

SLM807D	Aerated — 3 Star WELS — Flexible Connections
SLM807D-4	Aerated — 4 Star WELS — Flexible Connections
SLM807D-5	Aerated — 5 Star WELS — Flexible Connections
SLM807D-6	Aerated — 6 Star WELS — Flexible Connections
SLM807D-LAM	Laminar — 3 Star WELS — Flexible Connections




Enware-Oras Cubista Series Extended Basin Mixer with Assist Handle

SLM807L	Aerated — 3 Star WELS — Flexible Connections
SLM807L-4	Aerated — 4 Star WELS — Flexible Connections
SLM807L-5	Aerated — 5 Star WELS — Flexible Connections
SLM807L-6	Aerated — 6 Star WELS — Flexible Connections
SLM807L-LAM	Laminar — 3 Star WELS — Flexible Connections




Enware-Oras Cubista Series Shower Mixer


SLM808	Complete (Behind Wall Body and Exposed Parts)
SLM808AP	Exposed Parts — Fascia and Handle Only (Refer to SLM608B for behind wall parts)

**Enware-Oras Cubista Series Sink Mixer with Gooseneck Spout — Aerated**


SLM809	3 Star WELS
SLM809-4	4 Star WELS
SLM809-5	5 Star WELS
SLM809-6	6 Star WELS

**Enware-Oras Cubista Series Shower Mixer with Bath Diverter**


SLM810	Complete (Behind Wall Body and Exposed Parts)
SLM810AP	Exposed Parts — Fascia, Handle and Diverter Button Only

**Enware Oras Cubista Mixer and Hand Held Shower Set — White**


SLM861	1.5m Smooth White Hose with integral Supply Elbow/Mounting bracket
--------	--

**Enware Oras Cubista Mixer and Hand Held Shower Set — Chrome**

SLM861C	1.5m Smooth Matte Chrome Hose with integral Supply Elbow/Mounting bracket
---------	---

**Enware Oras Cubista Mixer and Hand Held Shower Set with 900mm Wall Bar — White**

SLM863	1.5m Smooth White Hose with 900mm Bright Chrome Wall Bar and White Adjustable Holder
--------	--




NOTE: Dimensional drawings for product illustration purposes only. For set and completion refer to ACS-KOB-1-2009 and 2010 amendments. Design for future availability.

Enware Oras Cubista Mixer and Hand Held Shower Set with 900mm Wall Bar — Chrome

SLM863C


1.5m Smooth Matte Chrome Hose with 900mm Bright Chrome Wall Bar and Adjustable Holder



Enware Oras Cubista Mixer and Hand Held Shower Set with 900mm Grab Rail — White

SLM864


1.5m Smooth White Hose with 900mm Rail and White Adjustable Holder



Enware Oras Cubista Mixer and Hand Held Shower Set with 900mm Grab Rail — Chrome

SLM864C


1.5m Smooth Matte Chrome Hose with 900mm Rail and Adjustable Holder



Enware-Oras Cartridge Key — 38mm

SLMS622

Enware-Oras Cartridge Key



Enware-Oras Installation Tube for X-Seals

SLMS627



Enware-Oras Grease Pack

SLMS628

Grease for O-Rings — 10gm



Enware-Oras Allen Key

SLMS631 T-Service Allen Key 3mm



Enware-Oras Shower Diverter Spare Parts

SLMS634 Vega Shower Diverter (SLM610)
SLMS640 Vega Shower Diverter with Face Plate Only



Enware-Oras Viva Replacement Handle

SLMS636



Enware-Oras Cubista Replacement Handle

SLMS638




Enware-Oras Replacement Cartridge

SLMS690 Replacement Cartridge
— Suits All Enware-Oras Models




Enware-Oras Spare Parts

SLMS600	Vega Covering Cap — Used on SLM606 and SLM608 models
SLMS601	Basin Washer 10 Pack — SLM606 models
SLMS602	Vega Covering Cap — Used on SLM607 models
SLMS605	Metal Fixing Plate with 2 Nuts
SLMS606	Cartridge Fixing Nut
SLMS607	X Sealing Set — 2x O-rings and grease pack (Suits SLM607 and 609 models)
SLMS608	Fixing Supporting Plate (Plastic) — For Stainless Steel Installations
SLMS609	Extension Screw Kit — 2 pack
SLMS610	Sink Washer — Suits SLM607 models
SLMS611	Adaptor/Strainer G3/8" x G1/2"
SLMS612	SPEX Inlet Hoses (1 Hot, 1 Cold) — 360mm with FI3/8" — Reverse Thread to Tap
SLMS613	Fixing Screw — 10 pack
SLMS614	Sink Spout — Suits SLM607 models only
SLMS615	Bearing Rings — 10 Pack
SLMS616	Gooseneck Spout Sealing Kit (SLM609)
SLMS617	Spout Over-Turning Stopper — 100 degrees (SLM607)
SLMS618	Spout Over-Turning Stopper — 40-80 degrees (SLM607)
SLMS619	Goose Neck Spout — SLM609 model
SLMS620	8lpm Aerator — Suits SLM606/607/609
SLMS621	Vega Handle Indication Insert — 1x Red, 1x Yellow, 1x Blue
SLMS623	Enware-Oras X Sealing Set Cleaning Tool
SLMS624	Gooseneck Spout Overturning Stopper — 120 degrees (SLM609)
SLMS625	Gooseneck Spout Overturning Stopper — 60-0 degrees (SLM609)
SLMS626	Cover Parts for Recessed Shower Mixer SLM608
SLMS629	G1/2" Mesh Strainer
SLMS635	Vega Nut Cover




Enware-Oras Vega Replacement Handle

SLMS695	Vega Replacement Handle — Standard
---------	------------------------------------



Enware-Oras Extended Handle — Replacement


SLMS630	Extended Handle Stem Attachment
SLMS696	Enware-Oras — Extended Handle Only



Oras Assist Handle

SLMS697

Oras Assist Handle



Enware Single Lever Mixer — Replacement Cartridge (Old Style)

SLM390

Suits SLM306/307/308 products Only



Enware Single Lever Mixer — Handle Kit (Old Style)

SLM395

Standard Handle 90mm — Loop Style

SLM396

Extended Lever Handle — 165mm

